

Drug Facts

Active ingredient

Minoxidil 2% w/v..... Hair regrowth treatment

Purpose

Use to regrow hair on the scalp

Warnings

For external use only.

Flammable: Keep away from fire or flame

Do not use if:

- Your degree of hair loss is more than that shown on the side of this carton, because this product may not work for you
- You have no family history of hair loss.
- Hair loss is sudden and/or patchy.
- Hair loss is associated with childbirth
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some women, you may need to use this product for at least 4 months before you see results.
- The amount of hair regrowth is different for each person.

Stop use and ask a doctor if

- Chest pain, rapid heartbeat, faintness, or dizziness occurs
- Sudden, unexplained weight gain occurs
- Your hands or feet swell • Scalp irritation or redness occurs
- You do not see hair regrowth in 8 months

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply 1 mL with dropper 2 times a day directly onto the scalp in the hair loss area
- Using more or more often will not improve results
- Continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Drug Facts (continued)

Other information

- In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to minoxidil topical solution 2% was reported: 19% of women reported moderate hair regrowth after using minoxidil topical solution 2% for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth). minimal regrowth).
- Store at USP controlled room temperature 20 - 25°C (68 - 77°F).

Inactive ingredients

Alcohol, Propylene Glycol, Purified Water

Questions or comments?

- 1-877-907-4047
- Visit Website at www.shapiroemd.com

Shapiro MD for women
2% Minoxidil
Topical Solution Hair
Regrowth Treatment

THIS PACKAGE CONTAINS:



One 60 mL (2 fl oz)
bottle of Minoxidil
topical solution 2%
(one month supply)



One child-resistant
dropper applicator.